



MATERIAL SAFETY DATA SHEET

Section 1 – PRODUCT AND SAFETY SUPPLIER INFORMATION

Product Name: Mikrosil Casting Putty
Common Name: Silicone Putty
Supplier: Lightning Powder Company, Inc.
13386 International Parkway, Jacksonville, FL 32218
Emergency Telephone: Chemtel® United States (800) 255-3924 International – 813-248-0585 (Collect)
Date Prepared: November 18, 2002

Section 2 – HAZARDOUS INGREDIENTS

<u>Ingredient</u>	<u>CAS#</u>	<u>Percent</u>	<u>PEL (OSHA)</u>	<u>TLV (ACGIH)</u>
Contains no hazardous ingredients as defined by OSHA 29 CFR 1910.1200				

Section 3 – PHYSICAL/CHEMICAL PROPERTIES

Appearance and Odor:	Gray, brown, white, or black paste with low odor.		
Specific Gravity:	No data	Solubility in Water:	Negligible
Boiling Point:	n/a	Melting Point:	n/a
Vapor Density:	No data	Vapor Pressure (mmHg):	Negligible
Evaporation Rate:	n/a	Percent Volatile:	0

Section 4 – FIRE AND EXPLOSION DATA

Flash Point: > 250 deg. C UEL: n/a LEL: n/a
Extinguishing Media: Standard media.
Firefighting Procedures: No special procedures.
Unusual Fire and Explosion Hazards: None.



Section 11 – ECOLOGICAL DATA

None available.

Section 12 – TRANSPORTATION IDENTIFICATION

Proper Shipping Name: Not regulated.

Identification Number: n/a

Hazard Class: n/a

Packing Group: n/a