



## MATERIAL SAFETY DATA SHEET

### Section 1 – PRODUCT AND SAFETY SUPPLIER INFORMATION

Product Name: Snow Print Wax  
Common Name: Impression Wax  
Supplier: Lightning Powder Company, Inc.  
13386 International Parkway, Jacksonville, FL 32218  
Emergency Telephone: Chemtel® United States (800) 255-3924 International – 813-248-0585 (Collect)  
Date Prepared: November 18, 2002

### Section 2 – HAZARDOUS INGREDIENTS

Ingredient	CAS#	Percent	PEL (OSHA)	TLV (ACGIH)
Ethyl Acetate	141-78-6	< 9%	400 ppm	Not established
Dimethyl Ether	115-10-6	<72%	1000 ppm	1000 ppm

### Section 3 – PHYSICAL/CHEMICAL PROPERTIES

Appearance and Odor: Red liquid with strong, fruit odor.  
Specific Gravity: n/a Solubility in Water: 8.7 %  
Boiling Point: n/a Melting Point: n/a  
Vapor Density: > 1 Vapor Pressure (mmHg): n/a  
Evaporation Rate: > 1 Percent Volatile: < 20

### Section 4 – FIRE AND EXPLOSION DATA

Flash Point: No data UEL: No data LEL: No data  
Extinguishing Media: Water fog, alcohol foam, dry chemical, CO2.  
Firefighting Procedures: Wear SCBA. If aerosols are bursting, stay clear until bursting is completed. Aerosols can be projectiles when bursting.  
Unusual Fire and Explosion Hazards: Aerosols will burst at temperatures above 130 degrees F. Containers exposed to intense heat from fires must be cooled with water to prevent vapor pressure build-up which could result in container rupture.





## **Section 10 – TOXICOLOGICAL DATA**

Carcinogenicity:

NPT: No

OSHA: No

IARC: No

Acute Inhalation LC50: No data

Acute Dermal LD50: No data

Acute Oral LD50: No data

## **Section 11 – ECOLOGICAL DATA**

No information presently available.

## **Section 12 – TRANSPORTATION IDENTIFICATION**

Proper Shipping Name: Aerosol, flammable.

Identification Number: UN1950    Hazard Class: 2.1

Packing Group: None